

« -11: = » -
« -11: ». - 2015. - ., .1. - .128-129

• ” • ”
• •

Pastreurella

88 , 44

20-25%

[1].

[4],

[2]

[3]

R. Manninger [9]

[6]

1 25
. S. Bergey

10

[7].

[1].

	2010	2011	2012	2013	2014
	5	6	5	9	9
	31,3%	31,3%	17,4%	16,7%	16,7%
	3,34%	3,34%	0,67%	4%	4%
	11,4%	11,4%	11,4%	11,4%	11,4%
	5,3%	5,3%	5,3%	5,3%	5,3%
	2,67%	2,67%	2,67%	2,67%	2,67%
	11 (7,3%),	11 (7,3%),	16 (10,6%),	16 (10,6%),	16 (10,6%),
	29 (19,3%),	29 (19,3%),	8 (5,3%),	8 (5,3%),	8 (5,3%),
	3 (2%)	3 (2%)	16 (10,7%),	16 (10,7%),	16 (10,7%),
	-	-	-	-	-
	- 3 (2%),	- 3 (2%),	- 51 (34%),	- 51 (34%),	- 51 (34%),
	- 9 (6%).	- 9 (6%).	- 34 (22,7%),	- 34 (22,7%),	- 34 (22,7%),
	4-6	4-6	4-6	4-6	4-6
	1	1	1	1	1
	39	39	43 (28,7%),	43 (28,7%),	43 (28,7%),
	39	39	26%),	26%),	26%),
	5	5	5	5	5
	2013	2013	2013	2013	2013
	(31,3%),	(31,3%),	(17,4%),	(17,4%),	(17,4%),
	(16,7%)	(16,7%)	-	-	-
	5	5	5	5	5
	(10,6%),	(10,6%),	(10,6%),	(10,6%),	(10,6%),
	(32,6%),	(32,6%),	(32,6%),	(32,6%),	(32,6%),
	4-6	4-6	4-6	4-6	4-6
	(26%)	(26%)	(26%),	(26%),	(26%),
	(35,4%),	(35,4%),	(35,4%),	(35,4%),	(35,4%),
	2-	2-	2-	2-	2-
	(34%),	(34%),	(34%),	(34%),	(34%),
	3-	3-	3-	3-	3-
	1,4%	1,4%	1,4%	1,4%	1,4%

1. . . .

//

- 2009.-12-18 .

2. . . .

: - , 1996.22 .

3. . . .

30

:/ . . . , . . . ;// TXXII, 1967.

4. . . .

//

- .2.- , 1970.- . 147-150.

5. . . .
// . - 2010. 2. .52.
6. . . . ,
// . . . - 17
. - . . . - , 1969. - . 217-218.
7. Bergey's. Manual of sistematic bacteriology//ed N.R. Krieg.-1984.-
p.555-559.Carter G.R. Pasteurella multocida//Amer J. vet. Res.- 1957.-v. 18- 66- P.69.
8. Carter G.R. Pasteurella multocida//Amer J. vet. Res.- 1957.-v. 18- 66-
P.210-213.
9. Manninger, R. Considerations critigus sur l'etiologie et la profilaxie de la
septicemia homorrhagique office internat. des Epizooties: / R. Manninger; Bull. T. VIII.
1934 (Budapest), 1.