

« - 9: » - « - 9: »

- 9: = - 2013. - .1, .2 - C. 304-305

[1]. [2].

(), - 10 .

« » - , - , .

[3]. 4

Trichophyton faviforme - -130, 302, 194, 182,198, «SCFood»;

: , , ;

: .

[4].

- 6% - , 18%

: *Alternaria alternata, Aspergillus wentii, Chaetomium globosum, Scopulariopsis brevicaulis.*

[5].

20%, 30% 40%.

20%, 30% 40%

Alternaria alternata, *Aspergillus wentii*, *Chaetomium globosum*,
Scopulariopsis brevicaulis, *Trichophyton faviforme*

7

28° 10

5

- 1.

		20%	30%	40%
<i>Trichophyton faviforme</i>	17			
<i>Alternaria alternata</i>	1	2	1	1
<i>Aspergillus wentii</i>	2	3	17	
<i>Chaetomium globosum</i>	3	3		
<i>Scopulariopsis brevicaulis</i>	2	2	2	7

(*Trichophyton verrucosum*),

(*Alternaria alternate*, *Chaetomium globosum*,
Scopulariopsis brevicaulis, *Aspergillus wentii*).

3-



: 20%, 30% 40%.

30% 40%

80%

. 20%

20%



1. *Alternaria alternata* 4- (),
Aspergillus wentii 4- ()
: , . .